

CW-6550A



- Food and beverage

1



2



No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
1	Bacon	Glossy label	3.8 x 5.8 inch	4,325	1,465	1,727	1,110	4.32
2	Pasta	Glossy label	3.8 x 5.8 inch	2,621	1,422	1,554	3,959	3.57

CW-6550A



- Food and beverage (continued)

EPSON
EXCEED YOUR VISION

优质干饲料

为羊、牛提供优质蛋白质、矿物质及维生素的块状饲料

编号: CS-D-003-20
批号: 003-2002-332
有效期: 2018.06

主要成分		使用说明	
尿素	80g/kg 8.0%	平均用量:	
过瘤胃蛋白粉	300g/kg 30.0%	牛: 约每5天1块 (100头)	
糖蜜	50g/kg 5.0%	羊: 约每30天1块 (100头)	
最低盐分	200g/kg 20.0%	重要提示:	
最高盐分	250g/kg 25.0%	如果发生饲料变软的情况, 请勿继续喂食。	
磷	25g/kg 2.5%	请密切分销商, 以获得具体建议。	
钙	40g/kg 4.0%	此外, 应存放在低于30°C的温度条件下。	
硫	35g/kg 3.5%	产品安全:	
硒	5mg/kg	本产品不含禁用的动物性原料。	
有机磷	100mg/kg		

100% 优异质量

20kg

Farmer's BOX Ltd.
地址: Prabod, Truro TR6 6HW UK
电话: 012-345-6789
www.farmersbox.com

5 090001 112227

ITALIAN DRESSING

ZESTY & FLAVORFUL
TASTE OF EXCELLENCE
FAT FREE ★★★

101-021473ml

No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
3	Beef	Glossy label	5.9 x 3.9 inch	2,184	2,134	1,491	3,220	3.42
4	Dressing	Glossy label	3.8 x 5.8 inch	2,196	2,126	818	5,347	4.2

CW-C6050A - Package



3.1



3.2



3.3




No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
3.1	Beer	Synthetic label	3.8 x 5.8 inch	3,216	3,192	1,533	7,812	2.52
3.2	Coffee	Synthetic label	3.8 x 5.8 inch	5,146	1,569	2,159	4,699	2.7
3.3	Green tea	Synthetic label	3.8 x 5.8 inch	3,184	7,012	1,704	11,284	2.04

CW-C6050A - Hospital



1



2



No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
3.4	Heparin	Synthetic label	2.8 x 2.0 inch	7,211	15,862	7,016	15,203	0.75
3.5	Dopamine HCl	Synthetic label	2.8 x 2.0 inch	5,674	17,955	9,753	17,087	0.72

CW-6550A - GHS



EPSON
EXCEED YOUR VISION

1

10% NEUTRAL BUFFERED FORMALIN

Products No. **020-1256** REAGENT 2.5L

DANGER NON-MEDICAL DELETERIOUS SUBSTANCES

Formaldehyde
H₂CO or CH₂O
30.026 g/mol

■ Never breathe fumes, protective goggles or face shield etc. Use respirator if necessary.
 ■ In case of contact, consult a physician.
 ■ In case of contact with eyes, skin and clothes etc. wash with plenty of water. ■ Avoid release to the environment. ■ Do not breathe dust / fumes / gas / mist / vapor / spray.
 ■ Causes serious eye irritation. ■ Toxic in contact with skin. ■ May cause allergy or asthma symptoms or breathing difficulties if inhaled. ■ Causes skin irritation.

Manufacturer : Bio Medipeak 12345 Frankfurt Germany | 1425-0158-8524

See SDS For Laboratory Use Only

2

CHEMICAL
ENGINEERING

Methanol CE5653

Methyl alcohol
CH₃O NH-72.06
CAS:67-56-1 <99.0% >1.05
Made in USA

DANGER

32.04 g/mol; mp: -98 bp:64.7, d: 0.791 g/mL at 20;
 0.791 g/mL at 25, n_D20D + 1.3268(1), n_D20M + 1.328

Assay Spec	>99.8%(GC)	Al	<0.5 mg/kg	Fa	<0.5 mg/kg
KMnO ₄ -reducing	in accordance	Ba	<0.1 mg/kg	Na	<0.5 mg/kg
acetone	none detected	Bi	<0.1 mg/kg	Ni	<0.1 mg/kg
acetylacetone CH ₃ CO	<0.005%	Ca	<0.5 mg/kg	Pb	<0.1 mg/kg
free aldehyde CH ₃ CHO	<0.0005%	Cd	<0.05 mg/kg	Sr	<0.1 mg/kg
free alkaline NH ₃	<0.0001%	Cu	<0.05 mg/kg	Zn	<0.1 mg/kg
ketones CH ₃ COCH ₃	<0.0001%	Cr	<0.02 mg/kg		
		Du	<0.02 mg/kg		

EC 200-659-6, EC Label, WCK 1
 EN Highly Flammable, Toxic; H11, H230/242, S 7, 516, S36/37, S45
 Highly flammable. Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. Keep container tightly closed. Keep away from sources of ignition - No smoking. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately/show the label where possible).
 DE Leichtentzündlich, Giftig, Leichtentzündlich, Giftig beim Einatmen, Verätzend und Berührung mit der Haut. Giftig: ernste Gefahr irreversiblen Schadens durch Einatmen, Berührung mit der Haut und durch Verschlucken Behälter dicht geschlossen halten. Von Zündquellen fernhalten - Nicht rauchen. Bei der Arbeit geeignete Schutzhandschuhe und Schutzkleidung tragen. Bei Unfall oder Unwohlsein sofort Arzt anrufen/evtl. mitbringen, dieses Etikett vorzeigen.
 FR Facilement inflammable, Toxique, Facilement inflammable, Toxique par inhalation, par contact avec la peau et par ingestion. Toxique: danger d'effets irréversibles très graves par inhalation, par contact avec la peau et par ingestion. Conserver le récipient bien fermé. Conserver à l'écart de toute flamme ou source d'étincelles - Ne pas fumer. Porter un vêtement de protection et des gants appropriés. En cas d'accident ou de malaise, consulter immédiatement un médecin/aj possible lui montrer l'étiquette).

3

EPS Energy Inc.

Produit 132345678

Lot 0011234567

Methanol

Methanol[®] Methyl alcohol
CH₃O NH-72.06
CAS: 67-56-1 <99.0% >1.05
Made in Japan

32.04 g/mol; mp: -98 bp: 64.7, d: 0.791 g/mL at 20;
 0.791 g/mL at 25, n_D20D + 1.3268(1), n_D20M + 1.329

Assay Spec	>99.8%(GC)	Al	<0.5 mg/kg	Fa	<0.5 mg/kg
KMnO ₄ -reducing	in accordance	Bi	<0.1 mg/kg	Ni	<0.1 mg/kg
acetone	none detected	Ca	<0.5 mg/kg	Pb	<0.1 mg/kg
aldehyde CH ₃ CHO	<0.001%	Cd	<0.05 mg/kg	Sr	<0.1 mg/kg
free alkaline NH ₃	<0.00025%	Cu	<0.05 mg/kg	Zn	<0.1 mg/kg
ketones CH ₃ COCH ₃	<0.0001%	Cr	<0.02 mg/kg		

EC 200-659-6, EC Label, WCK 1
 EN Highly Flammable, Toxic; H11, H230/242, S 7, 516, S36/37, S45
 Highly flammable. Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. Keep container tightly closed. Keep away from sources of ignition - No smoking. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately/show the label where possible).
 DE Leichtentzündlich, Giftig, Leichtentzündlich, Giftig beim Einatmen, Verätzend und Berührung mit der Haut. Giftig: ernste Gefahr irreversiblen Schadens durch Einatmen, Berührung mit der Haut und durch Verschlucken Behälter dicht geschlossen halten. Von Zündquellen fernhalten - Nicht rauchen. Bei der Arbeit geeignete Schutzhandschuhe und Schutzkleidung tragen. Bei Unfall oder Unwohlsein sofort Arzt anrufen/evtl. mitbringen, dieses Etikett vorzeigen.
 FR Facilement inflammable, Toxique, Facilement inflammable, Toxique par inhalation, par contact avec la peau et par ingestion. Toxique: danger d'effets irréversibles très graves par inhalation, par contact avec la peau et par ingestion. Conserver le récipient bien fermé. Conserver à l'écart de toute flamme ou source d'étincelles - Ne pas fumer. Porter un vêtement de protection et des gants appropriés. En cas d'accident ou de malaise, consulter immédiatement un médecin/aj possible lui montrer l'étiquette).

EPS Energy Inc.

No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
1	GHS1	Synthetic label	8.0 x 6.0 inch	1,220	2,597	1,159	2,312	4.5
2	GHS2	Synthetic label	8.0 x12.0 inch	3,085	1,482	2,480	341	7.8
3	GHS3	Synthetic label	4.0 x8.3 inch	2,992	2,930	3,818	944	3.6

CW-6550A



- GHS

EPSON
EXCEED YOUR VISION

1

2

3

EPS Energy Inc.

Product: 11294578 Lot#: 0011234567
12345-2-IL

Methanol
Methanol Methyl alcohol
CH₃O MW-72.06
CAS: 67-58-1 99.9% 41-05
Made in Japan
32.04 gms/oz. eq. -88 lbs/ 41.7, 0.791 gms/oz. 20,
0.791 gms/oz. at 25, 0.200 + 1.329K (L) 200D + 1.329

DANGER

EC 200-499-4, EC Label: WVK 1
EN Highly flammable. Toxic. H11, H228/242, P 2, H14, H360DF, H411
Highly flammable. Toxic by inhalation. In contact with skin and if swallowed. Toxic; danger of very serious irreversible effects through inhalation. In contact with skin and if swallowed: Keep container tightly closed. Keep away from sources of ignition - No smoking. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately/show the label where possible.
DE Leichtentzündlich, Giftig; Leichtentzündlich, Giftig beim Einatmen, Verätzend/Reizend und Berührung mit der Haut.
GHS 09: ernstes Gefahr: Irreversiblen Schäden durch Einatmen, Berührung mit der Haut und durch Verschlucken Behälter dicht geschlossen halten. Von Zündquellen fernhalten - Nicht rauchen. Bei der Arbeit geeignete Schutzkleidung und Schutzausrüstung tragen. Die Umwelt oder Umweltsein solltet nicht zu beeinträchtigen möglich, dieses Etikett vorzuziehen.
P210 Behälter dicht geschlossen halten. P223 Feuerlöscher verwenden. P231/P232 Tropfen per Inhalation, per Kontakt vermeiden.
H314 Gefahr der Verätzung: Verätzungen, Hautreizungen.
H360DF Gefahr der Fortpflanzung: Kann die Fortpflanzung beeinträchtigen.
H411 Gefahr für die Meeresumwelt: Schädlich für die Meeresumwelt.
In case of fire: Do not breathe vapors. Do not get liquid in eyes. Do not get liquid on skin. Do not get liquid on clothing. Do not get liquid on shoes. Do not get liquid on hands. Do not get liquid on face. Do not get liquid on neck. Do not get liquid on hair. Do not get liquid on mouth. Do not get liquid on nose. Do not get liquid on ears. Do not get liquid on fingers. Do not get liquid on toes. Do not get liquid on feet. Do not get liquid on hands. Do not get liquid on feet. Do not get liquid on hands. Do not get liquid on feet.

Assay Spec: +98.8%(GC) AL <0.5 mg/kg Fa <0.5 mg/kg
KBrO4 reducing Ba <0.1 mg/kg Na <0.5 mg/kg
aniline none detected BE <0.1 mg/kg NE <0.1 mg/kg
free acetic acid (HCOOH) <0.001% Ca <0.5 mg/kg Pb <0.1 mg/kg
free aldehyde (HCHO) <0.001% Cr <0.05 mg/kg Sr <0.1 mg/kg
ketones (CH3COCH3) <0.001% Cu <0.05 mg/kg Zn <0.1 mg/kg
Ox <0.02 mg/kg

EPS Energy Inc.

EPS Energy Inc.

Product: 11294578 Lot#: 0011234567
12345-2-IL

Methanol
Methanol Methyl alcohol
CH₃O MW-72.06
CAS: 67-58-1 99.9% 41-05
Made in Japan
32.04 gms/oz. eq. -88 lbs/ 41.7, 0.791 gms/oz. 20,
0.791 gms/oz. at 25, 0.200 + 1.329K (L) 200D + 1.329

DANGER

EC 200-499-4, EC Label: WVK 1
EN Highly flammable. Toxic. H11, H228/242, P 2, H14, H360DF, H411
Highly flammable. Toxic by inhalation. In contact with skin and if swallowed. Toxic; danger of very serious irreversible effects through inhalation. In contact with skin and if swallowed: Keep container tightly closed. Keep away from sources of ignition - No smoking. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately/show the label where possible.
DE Leichtentzündlich, Giftig; Leichtentzündlich, Giftig beim Einatmen, Verätzend/Reizend und Berührung mit der Haut.
GHS 09: ernstes Gefahr: Irreversiblen Schäden durch Einatmen, Berührung mit der Haut und durch Verschlucken Behälter dicht geschlossen halten. Von Zündquellen fernhalten - Nicht rauchen. Bei der Arbeit geeignete Schutzkleidung und Schutzausrüstung tragen. Die Umwelt oder Umweltsein solltet nicht zu beeinträchtigen möglich, dieses Etikett vorzuziehen.
P210 Behälter dicht geschlossen halten. P223 Feuerlöscher verwenden. P231/P232 Tropfen per Inhalation, per Kontakt vermeiden.
H314 Gefahr der Verätzung: Verätzungen, Hautreizungen.
H360DF Gefahr der Fortpflanzung: Kann die Fortpflanzung beeinträchtigen.
H411 Gefahr für die Meeresumwelt: Schädlich für die Meeresumwelt.
In case of fire: Do not breathe vapors. Do not get liquid in eyes. Do not get liquid on skin. Do not get liquid on clothing. Do not get liquid on shoes. Do not get liquid on hands. Do not get liquid on face. Do not get liquid on neck. Do not get liquid on hair. Do not get liquid on mouth. Do not get liquid on nose. Do not get liquid on ears. Do not get liquid on fingers. Do not get liquid on toes. Do not get liquid on feet. Do not get liquid on hands. Do not get liquid on feet.

Assay Spec: +98.8%(GC) AL <0.5 mg/kg Fa <0.5 mg/kg
KBrO4 reducing Ba <0.1 mg/kg Na <0.5 mg/kg
aniline none detected BE <0.1 mg/kg NE <0.1 mg/kg
free acetic acid (HCOOH) <0.001% Ca <0.5 mg/kg Pb <0.1 mg/kg
free aldehyde (HCHO) <0.001% Cr <0.05 mg/kg Sr <0.1 mg/kg
ketones (CH3COCH3) <0.001% Cu <0.02 mg/kg Zn <0.1 mg/kg
Ox <0.02 mg/kg

EPS Energy Inc.

EPS Energy Inc.

Product: 11294578 Lot#: 0011234567
12345-2-IL

Methanol
Methanol Methyl alcohol
CH₃O MW-72.06
CAS: 67-58-1 99.9% 41-05
Made in Japan
32.04 gms/oz. eq. -88 lbs/ 41.7, 0.791 gms/oz. 20,
0.791 gms/oz. at 25, 0.200 + 1.329K (L) 200D + 1.329

DANGER

EC 200-499-4, EC Label: WVK 1
EN Highly flammable. Toxic. H11, H228/242, P 2, H14, H360DF, H411
Highly flammable. Toxic by inhalation. In contact with skin and if swallowed. Toxic; danger of very serious irreversible effects through inhalation. In contact with skin and if swallowed: Keep container tightly closed. Keep away from sources of ignition - No smoking. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately/show the label where possible.
DE Leichtentzündlich, Giftig; Leichtentzündlich, Giftig beim Einatmen, Verätzend/Reizend und Berührung mit der Haut.
GHS 09: ernstes Gefahr: Irreversiblen Schäden durch Einatmen, Berührung mit der Haut und durch Verschlucken Behälter dicht geschlossen halten. Von Zündquellen fernhalten - Nicht rauchen. Bei der Arbeit geeignete Schutzkleidung und Schutzausrüstung tragen. Die Umwelt oder Umweltsein solltet nicht zu beeinträchtigen möglich, dieses Etikett vorzuziehen.
P210 Behälter dicht geschlossen halten. P223 Feuerlöscher verwenden. P231/P232 Tropfen per Inhalation, per Kontakt vermeiden.
H314 Gefahr der Verätzung: Verätzungen, Hautreizungen.
H360DF Gefahr der Fortpflanzung: Kann die Fortpflanzung beeinträchtigen.
H411 Gefahr für die Meeresumwelt: Schädlich für die Meeresumwelt.
In case of fire: Do not breathe vapors. Do not get liquid in eyes. Do not get liquid on skin. Do not get liquid on clothing. Do not get liquid on shoes. Do not get liquid on hands. Do not get liquid on face. Do not get liquid on neck. Do not get liquid on hair. Do not get liquid on mouth. Do not get liquid on nose. Do not get liquid on ears. Do not get liquid on fingers. Do not get liquid on toes. Do not get liquid on feet. Do not get liquid on hands. Do not get liquid on feet.

Assay Spec: +98.8%(GC) AL <0.5 mg/kg Fa <0.5 mg/kg
KBrO4 reducing Ba <0.1 mg/kg Na <0.5 mg/kg
aniline none detected BE <0.1 mg/kg NE <0.1 mg/kg
free acetic acid (HCOOH) <0.001% Ca <0.5 mg/kg Pb <0.1 mg/kg
free aldehyde (HCHO) <0.001% Cr <0.05 mg/kg Sr <0.1 mg/kg
ketones (CH3COCH3) <0.001% Cu <0.02 mg/kg Zn <0.1 mg/kg
Ox <0.02 mg/kg

EPS Energy Inc.

No.	Print Sample	Media Type	Label Size	Estimated page per cartridge				Cost per page (THB)
				C	M	Y	K	
1	GHS1	glossy label	4.0 x8.3 inch	3,022	2,958	3,857	933	3.6
2	GHS1	Matte label	4.0 x8.3 inch	5,577	5,335	7,452	1,155	2.46
3	GHS1	Synthetic label	4.0 x8.3 inch	5,372	5,730	7,369	1,357	2.22